

UNITED STATES PATENT

This PDF file contains a digital copy of a United States patent that relates to the Native American Flute. It is part of a collection of Native American Flute resources available at the web site <http://www.Flutopedia.com/>.

As part of the Flutopedia effort, extensive metadata information has been encoded into this file (see File/Properties for title, author, citation, right management, etc.). You can use text search on this document, based on the OCR facility in Adobe Acrobat 9 Pro. Also, all fonts have been embedded, so this file should display identically on various systems.

Based on our best efforts, we believe that providing this material from Flutopedia.com to users in the United States does not violate any legal rights. However, please do not assume that it is legal to use this material outside the United States or for any use other than for your own personal use for research and self-enrichment. Also, we cannot offer guidance as to whether any specific use of any particular material is allowed.

If you have any questions about this document or issues with its distribution, please visit <http://www.Flutopedia.com/>, which has information on how to contact us.

Contributing Source: United States Patent and Trademark Office - <http://www.uspto.gov/>

Digitizing Sponsor: Patent Fetcher - <http://www.PatentFetcher.com/>

Digitized by: Stroke of Color, Inc.

Document downloaded: December 5, 2009

Updated: May 31, 2010 by Clint Goss [clint@goss.com]




T. Berteling,

Flute,

No. 76,389,

Patented Apr. 7, 1868.



Attest:

W. C. Ashkett
Alex. L. Roberts

Inventor:

Thos Berteling
per

United States Patent Office.

THEODORE BERTELING, OF NEW YORK, N. Y.

Letters Patent No. 76,389, dated April 7, 1868.

IMPROVEMENT IN FLUTES.

The Schedule referred to in these Letters Patent and making part of the same.

TO ALL WHOM IT MAY CONCERN:

Be it known that I, THEODORE BERTELING, of the city, county, and State of New York, have invented a new and useful Improvement in Flutes; and I do hereby declare that the following is a full, clear, and exact description thereof, which will enable others skilled in the art to make and use the same, reference being had to the accompanying drawings, forming part of this specification, in which—

Figure 1 represents a partial plan or top view of a flute with my several improvements applied thereto.

Figure 2 represents a cross-section in the line $x x$ of fig. 1.

Figure 3 represents a similar section in the line $y y$ of fig. 1.

Figure 4 represents a partial side view of one of my improvements.

Figure 5 represents a plan view of one of my improvements.

Figure 6 a section of the same, in the line $z z$ of fig. 5.

Similar letters of reference indicate corresponding parts.

This invention relates to the supplying of the keys of flutes or similar musical instruments with adjustable regulating-screws, for the purpose of regulating the throw or lift of the keys.

Where a note is required to be repeatedly played, the cushions on the lower surfaces of the keys are apt to become flattened, and the instrument is thereby caused to fail to sound according to the wish of the operator. This difficulty is overcome in the present invention, whereby the throw of the keys or lift may be quickly adjusted at the pleasure of the performer.

My invention also relates to the arrangement of the keys on independent shafts, in such a manner as to allow the finger readily to slide from one key to another.

My invention also relates to a novel arrangement of the key-springs. The ends of the springs are placed in a groove in the sides of a lug on the posts of the shaft of the keys.

My invention also relates to an improvement in the form of the seats of the key-vents or openings, by which the cushions of the keys are provided with better seats.

A, in the accompanying drawings, represents the second section of an ordinary "Boehm" flute, having the required number of keys, B, pivoted to shafts B'. To the upper or lower surface of the projecting arms of said keys are placed adjustable regulating-screws C C, by which the throw of the keys may be easily regulated. D D are two uprights, in which rests the shaft D', over which is placed a hollow shaft, D''. The shaft D' is held between the uprights by means of needle-pointed screws, $d d$. To the lower surface of hollow shaft D'' is affixed a projecting lug, d' , having grooves $e e$ cut therein, to receive the springs $e' e'$, said springs being connected with and operating keys B' B' of the flute. This peculiar construction and arrangement of the springs renders the removal and change of the springs convenient, and affords greater spring-force in the same compass than the ordinary arrangement of the springs. I represents the third section of a flute, having keys F F' and G G', each resting on independent shafts $f f'$, $g g'$, arranged in such a manner as to allow the finger of the operator to slide from key to key with ease, and thus cause the notes to be more perfectly and easily sounded. H H are the vents or openings of the flute, the surfaces $h h$ of the material of which the flute is composed being made flat for a short distance around the openings, so as to give the cushions of the keys a firm seat, and thus cause the notes to be more perfectly shut off. In ordinary flutes the openings are surrounded by sharp edges, which cut the cushions of the keys.

Having described my invention, what I claim as new, and desire to secure by Letters Patent, is—

The adjustable set-screws C, in connection with the keys B of a flute, operating in the manner and for the purpose substantially as described.

The above specification of my invention signed by me, this sixteenth day of January, 1868.

THEODORE BERTELING.

Witnesses:

GUSTAVE DIETERICH,
THEO. TUSCHE.